PDS No. 627170	PRODUCT DATA SHEET	Page 1 of 1
Revision 03	Petri Dish, 4 Internal Wells, 35 x 10 mm, TC, Sterile	greiner bio-one
	Greiner Item-No. 627170	

1.	Description / Specification			
1.1	Description	Petri Dish, 35 x 10 mm, with vents, 4 internal wells, physical surface		
		treatment, sterile		
1.2	Dimensions	See Customer Drawing		
		Weight: lid: 1,2 – 1,4 g		
		dish: 1,9 – 2,1 g		
1.3	Volume	Max. volume / dish: 9 ml		
		Working volume / well: 80 μl		
		Growth area / well: 93 mm ²		
1.4	Material / Resin	Dish: PS (Polystyrene), free of heavy metal		
		Lid: PS (Polystyrene), free of heavy metal		
1.5	Colour	Dish: clear		
		Lid: clear		
1.6	Sterilisation	SAL 10 ⁻³		
1.7 Quality Control - Raw Material-Control: physical testing		- Raw Material-Control: physical testing		
		- Product-Control: testing of attributive and variable characteristics in		
		accordance with the valid specification		
1.8	Other Information	- For single use only		
		- Elevations for ventilation of culture		

2.	Features	
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens. Contents non-cytotoxic
2.2	Temperature range	-20℃ to +60℃
2.3	Autoclavability	No
2.4	Centrifugation, max. RCF	N/A
2.5	Chemical Resistance	See homepage: https://www.gbo.com/en_INT/know-how-services/download-center.html
2.6	Shelf life	4 years after month of production
2.7	Other Information	-

3.	Packaging	
3.1	Pieces / Bag	10
3.2	Pieces / Box	740
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Certificate of Quality

4.	Other Information	
4.1	Research use only. Not for diagnostics.	

Data Sheet subject to change without notice!

Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in this
Revision	Date	Date	Date	document or drawing is confidential and proprietory to Greiner Bio-One GmbH. This
02	2 March 2015	3 March 2015	3 March 2015	document may not be reproduced for any
Date	Name	Name	Name	reason without written permission from Greiner Bio-One GmbH. All rights of design, invention,
15.05.2012	S. Kaelberer	Dr. T. Schreiber	A. Schulz	and copyright are reserved.